



cdl

P24055.A21.DOC

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor : M. HOSOYA

Certificate of Corrections Branch

Patent No. : 6,905,607

Issued: June 14, 2005

Appl. No. : 10/673,520

Filed: September 30, 2003

For : METHOD FOR UTILIZING RAINWATER COLLECTED AT BUILDINGS

COVER LETTER FOR REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
U.S. Patent and Trademark Office
Customer Service Window
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Sir:

Attached are a Request and a proposed Certificate of Correction in connection with the above-identified patent.

A check in the amount of \$100.00 is enclosed to cover the fee. The Commissioner is hereby authorized to charge any additional fees, or credit any overpayment, to Deposit Account No. 19-0089.

Respectfully submitted,
M. HOSOYA

William E. Lyddane
Bruce H. Bernstein
Reg. No. 29,027

William E. Lyddane
Reg. No. 41,568

December 14, 2005
GREENBLUM & BERNSTEIN, P.L.C.
1950 Roland Clarke Place
Reston, VA 20191
(703) 716-1191

**Certificate
DEC 21 2005
of Correction**



P24055.A20.DOC

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor : M. HOSOYA

Certificate of Corrections Branch

Patent No. : 6,905,607

Issued: June 14, 2005

Appl. No. : 10/673,520

Filed: September 30, 2003

For : METHOD FOR UTILIZING RAINWATER COLLECTED AT BUILDINGS

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner For Patents
U.S. Patent and Trademark Office
Customer Service Window
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Sir:

Please find attached a proposed Certificate of Correction.

Please correct the following errors appearing in the printed patent which are apparently the fault of the inventors, as per the attached Certificate of Correction.

On the cover of the printed patent, at Item (57), Abstract, line 5, "form" should be ---from---. This appeared incorrectly on page 21, line 4 of the Specification filed on September 30, 2003.

At column 12, line 32 (claim 13, line 17) of the printed patent, delete "a predetermined" (first occurrence). This appeared incorrectly on page 6, line 12 of the Submission Under 37 C.F.R. 1.114 filed on December 29, 2004.

12/16/2005 JADD01 00000058 6905607

Therefore, it is respectfully requested that a Certificate of Correction issue in the above-identified patent as follows:

01 FC:1811

100.00 OP


P24055.A20.DOC

On the cover of the printed patent, at Item (57), Abstract, line 5, "form" should be ---from---.

At column 12, line 32 (claim 13, line 17) of the printed patent, delete "a predetermined" (first occurrence).

Should there be any questions, the Examiner is invited to contact the undersigned at the below-listed number.

Respectfully submitted,
M. HOSOYA.



Bruce H. Bernstein
Reg. No. 29,027

December 14, 2005
GREENBLUM & BERNSTEIN, P.L.C.
1950 Roland Clarke Place
Reston, VA 20191
(703) 716-1191

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**Page 1 of 1PATENT NO. : 6,905,607 *132*

APPLICATION NO.: 10/673,520

ISSUE DATE : June 14, 2005

INVENTOR(S) : M. HOSOYA

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the cover of the printed patent, at Item (57), Abstract, line 5, "form" should be —from—.

At column 12, line 32 (claim 13, line 17) of the printed patent, delete "a predetermined" (first occurrence).

MAILING ADDRESS OF SENDER (Please do not use customer number below):

GREENBLUM & BERNSTEIN, P.L.C.
1950 Roland Clarke Place
Reston, VA 20191

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. **DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**Page 1 of 1PATENT NO. : 6,905,607 *B2*

APPLICATION NO.: 10/673,520

ISSUE DATE : June 14, 2005

INVENTOR(S) : M. HOSOYA

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the cover of the printed patent, at Item (57), Abstract, line 5, "form" should be ~~—from—~~.

At column 12, line 32 (claim 13, line 17) of the printed patent, delete "a predetermined" (first occurrence).

MAILING ADDRESS OF SENDER (Please do not use customer number below):

GREENBLUM & BERNSTEIN, P.L.C.
1950 Roland Clarke Place
Reston, VA 20191

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.